



European Monitoring Centre for Drugs and Drug Addiction

STANDARD TABLE 02 : METHODOLOGY AND RESULTS OF SCHOOL SURVEYS ON DRUG USE

NOTES:

- a) Include information on national (or relevant regional) surveys on drug use conducted during the last five years
- b) A year by year estimate is asked due to the sharp increase of drug experience with age.
- c) 15-16 year age group is used to maintain potential comparability with previous years and other international projects

COUNTRY ITALY	Total sample			LIFETIME PREVALENCE(%)																	
DRUGS	15-19																				
(important: see "drug definitions" in the Methodology box)	M	F	T	15			16			17			18			19					
				M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T
1. any illegal drugs	39,7	29,6	34,3	17,0	12,7	14,6	28,7	22,1	25,2	41,1	30,5	35,2	49,7	37,8	43,2	57,9	43,8	50,6			
2. cannabis	39,1	29,3	33,8	15,6	12,1	13,7	27,9	21,7	24,6	40,8	30,4	35,0	49,4	37,8	43,0	57,5	43,3	50,2			
3. opiates (total)																					
4. heroin	2,2	1,0	1,6	2,0	0,8	1,3	2,2	0,9	1,5	2,6	1,1	1,7	1,7	1,0	1,3	2,3	1,4	1,8			
5. other opiates (specify)	4,7	3,0	3,8	3,6	2,3	2,9	5,0	2,6	3,7	5,4	3,6	4,4	3,8	2,9	3,3	5,5	3,4	4,4			
6. Cocaine (total)																					
6. Cocaine powder	8,6	4,3	6,3	2,6	1,3	1,9	4,3	2,0	3,1	6,5	4,0	5,1	10,1	5,1	7,4	17,1	8,7	12,8			
7. Crack cocaine	3,4	1,4	2,3	2,5	1,2	1,8	3,3	1,2	2,2	3,5	1,1	2,2	3,1	1,6	2,3	3,9	1,7	2,8			
8. amphetamines	4,5	2,2	3,3	2,3	1,1	1,6	3,0	1,3	2,1	3,6	2,0	2,7	5,0	2,2	3,5	7,6	3,9	5,7			
9. ecstasy	5,2	2,4	3,7	2,5	1,2	1,7	3,5	1,6	2,5	4,1	2,1	3,0	5,8	2,7	4,1	8,9	4,3	6,5			
10. GHB	2,4	0,9	1,2	1,7	0,5	1,0	1,6	0,6	1,1	2,0	0,6	1,2	1,6	0,7	1,1	2,0	0,9	1,4			
11. Hallucinogens (total)																					
12. LSD	4,9	2,5	3,6	2,5	1,2	1,8	3,4	1,6	2,5	3,9	2,2	3,0	5,2	2,9	3,9	8,3	4,1	6,2			
13. hallucinogenic mushrooms	5,4	2,3	3,7	3,0	1,3	2,1	4,2	1,8	2,9	4,9	1,9	3,3	5,3	2,6	3,8	8,5	3,7	6,1			
14. hypnotics and sedatives (total)	5,6	7,7	6,7	4,9	5,4	5,2	4,9	6,5	5,7	5,6	8,1	7,0	5,0	8,3	6,8	6,8	10,0	8,4			
15. benzodiazepines																					
16. other medic. (specify)																					
17. solvents	9,3	5,5	7,3	5,8	3,6	4,6	7,2	4,3	5,7	8,4	5,6	6,9	10,1	5,9	7,8	13,7	7,8	10,7			
18. steroids	2,5	0,6	1,5	1,9	0,5	1,1	2,6	0,6	1,5	2,7	0,6	1,5	2,6	0,7	1,5	2,6	0,8	1,7			
19. ketamine	2,4	0,9	1,6	1,9	0,6	1,2	1,9	0,7	1,3	2,4	0,8	1,5	2,3	0,9	1,5	3,1	1,5	2,3			

CONT. STANDARD TABLE 02 LAST 12 MONTHS PREVALENCE:

COUNTRY ITALY	Total sample			LAST 12 MONTHS PREVALENCE(%)														
DRUGS (important: see "drug definitions" in the Methodology box)	15-19																	
	M	F	T	15			16			17			18			19		
				M	F	T	M	F	T	M	F	T	M	F	T	M	F	T
1. any illegal drugs	32,9	23,0	27,6	13,9	10,0	11,7	23,9	18,3	21,0	35,6	24,5	29,4	41,6	29,9	35,2	46,6	31,6	38,9
2. cannabis	32,7	22,9	27,4	13,2	9,6	11,2	23,5	18,0	20,5	35,7	24,3	29,3	41,7	30,0	35,3	46,1	31,6	38,7
3. opiates (total)																		
4. heroin	1,8	0,8	1,3	1,8	0,6	1,2	2,3	0,7	1,4	1,9	0,7	1,3	1,8	1,1	1,4	1,3	1,1	1,2
5. other opiates (specify)	3,5	2,0	2,7	2,8	1,6	2,2	3,9	2,1	3,0	4,1	2,4	3,2	3,0	1,9	2,4	3,4	1,8	2,6
6. Cocaine powder	6,3	3,0	4,5	1,9	1,1	1,5	3,6	1,6	2,5	5,5	2,9	4,0	7,8	3,7	5,5	11,5	5,4	8,4
7. Crack cocaine	2,6	1,1	1,8	2,0	1,0	1,4	2,7	1,0	1,8	2,8	0,7	1,6	2,4	1,1	1,7	2,7	1,5	2,1
8. amphetamines	3,0	1,3	2,1	2,2	0,8	1,4	2,3	1,0	1,6	2,4	1,3	1,8	3,3	1,4	2,2	4,4	2,0	3,2
9. ecstasy	3,8	1,6	2,6	2,0	0,7	1,3	2,8	1,1	1,9	3,5	1,3	2,3	4,6	1,8	3,1	5,4	2,6	3,9
10. GHB	1,7	0,7	1,2	1,5	0,6	1,0	1,9	0,6	1,2	2,0	0,5	1,2	1,6	0,6	1,1	1,6	1,0	1,3
11. Hallucinogens (total)																		
12. LSD	3,3	1,5	2,3	2,1	1,1	1,5	2,7	1,1	1,9	3,2	1,5	2,2	3,5	1,6	2,5	4,5	1,9	3,1
13. hallucinogenic mushrooms	4,0	1,6	2,7	2,4	1,0	1,6	3,8	1,5	2,6	4,0	1,3	2,5	3,8	1,9	2,7	5,4	2,3	3,8
14. hypnotics and sedatives (total)	3,0	4,3	3,7	3,1	3,1	3,1	3,3	3,7	3,5	2,9	4,6	3,8	2,2	4,2	3,3	3,2	5,5	4,4
15. benzodiazepines																		
16. other medic. (specify)																		
17. solvents	6,6	3,4	4,9	3,7	2,5	3,1	5,4	2,7	3,9	6,2	3,4	4,6	7,0	3,7	5,2	9,6	4,5	7,0
18. steroids	2,0	0,6	1,3	1,7	0,3	0,9	2,3	0,5	1,3	2,3	0,6	1,3	2,1	0,7	1,3	1,7	0,9	1,3
19. ketamine	1,8	0,7	1,2	1,4	0,5	0,9	1,8	0,5	1,1	1,9	0,7	1,2	2,1	0,7	1,3	2,1	1,0	1,5



European Monitoring Centre for Drugs and Drug Addiction

CONT. STANDARD TABLE 02 - LAST 30 DAYS PREVALENCE

COUNTRY ITALY	Total sample			LAST 30 DAYS PREVALENCE(%)														
DRUGS (important: see "drug definitions" in the Methodology box)	15-19			LAST 30 DAYS PREVALENCE(%)														
	M	F	T	15			16			17			18			19		
				M	F	T	M	F	T	M	F	T	M	F	T	M	F	T
1. any illegal drugs	23.9	14.5	18.9	9.7	6.5	7.9	17.6	11.3	14.3	25.6	15.8	20.2	30.6	18.9	24.2	33.6	19.3	26.3
2. cannabis	23.5	14.2	18.5	8.7	6.3	7.4	17.2	10.9	13.8	25.3	15.6	19.9	30.4	18.7	24.0	33.2	18.9	25.9
3. opiates (total)																		
4. heroin	1.7	0.6	1.1	1.5	0.6	1.0	1.9	0.7	1.3	2.1	0.6	1.3	1.6	0.6	1.0	1.4	0.6	1.0
5. other opiates (specify)	2.5	1.1	1.8	2.4	1.1	1.7	3.4	1.3	2.3	3.0	1.4	2.1	1.9	1.1	1.4	2.2	0.9	1.5
6. Cocaine powder	3.8	1.7	2.7	1.7	0.8	1.2	2.7	0.9	1.8	3.1	1.6	2.3	4.0	1.9	2.9	6.8	2.9	4.8
7. Crack cocaine	1.9	0.7	1.3	1.8	0.6	1.1	1.8	0.7	1.2	2.1	0.4	1.1	1.8	0.8	1.2	2.1	0.9	1.4
8. amphetamines	2.1	0.8	1.4	1.6	0.4	0.9	1.8	0.7	1.2	1.8	0.7	1.2	2.1	0.9	1.4	2.8	1.1	1.9
9. ecstasy	2.5	0.9	1.7	1.5	0.6	1.0	2.1	0.9	1.5	2.7	0.8	1.6	2.9	1.0	1.8	3.2	1.3	2.2
10. GHB	1.5	0.5	0.9	1.2	0.4	0.8	1.5	0.6	1.0	1.9	0.4	1.0	1.5	0.4	0.9	1.2	0.5	0.9
11. Hallucinogens (total)																		
12. LSD	2.1	0.8	1.4	1.7	0.6	1.1	2.0	0.7	1.3	2.1	0.7	1.3	2.1	0.8	1.4	2.3	1.2	1.8
13. hallucinogenic mushrooms	2.3	0.8	1.5	1.6	0.7	1.1	2.7	0.9	1.7	2.6	0.6	1.5	2.2	0.7	1.4	2.4	0.9	1.6
14. hypnotics and sedatives (total)	2.0	2.3	2.2	1.9	1.8	1.9	2.2	2.2	2.2	1.8	2.3	2.1	1.8	2.2	2.0	2.1	3.0	2.6
15. benzodiazepines																		
16. other medic. (specify)																		
17. solvents	3.9	1.8	2.8	2.7	1.5	2.0	3.5	1.7	2.6	3.9	1.6	2.6	3.1	1.7	2.4	5.4	2.3	3.8
18. steroids	1.8	0.6	1.2	1.7	0.4	1.0	2.1	0.6	1.3	1.8	0.5	1.1	1.9	0.5	1.2	1.7	0.8	1.3
19. ketamine	1.7	0.6	1.1	1.4	0.4	0.8	1.8	0.5	1.1	1.8	0.5	1.1	1.8	0.4	1.1	1.6	0.8	1.2

METHODOLOGY	
REFERENCE:	Relazione Annuale al Parlamento sullo stato delle tossicodipendenze in Italia 2003. Ministero del Lavoro e delle Politiche Sociali, Roma, 2004
year	2003
single/repeated study	repeated
context (health/crime/drugs only...)	health
area covered	national
type of school	Upper secondary and professional schools in the public sector
age range	15-19
data collection procedure	ESPAD Questionnaire (EU. School Survey Project on Alcohol and Other Drugs)
sample size	28395
sampling frame	
sampling procedures	Stratified systematic random sample of schools
oversampled groups	School in same regional area
weighting procedures	No
absents of school at the time of survey	8 - 12%
response rate (M,F,T)	M 97 F 95,7 T 96,5
DRUGS DEFINITIONS	
	Provide a detailed description of what is included in each drug category
1. any illegal drugs	Cannabis, LSD or hallucinogenic mushrooms, crack, cocaine, heroin, ecstasy, amphetamines, solvents, steroids, non-prescribed hypnotics or sedatives, ketamine,
2. cannabis	cannabis resin, cannabis leaf
3. opiates (total)	
4. heroin	heroin consumed other than by smoking
5. other opiates (specify)	smoked heroin
6. Cocaine powder	cocaine
7. Crack cocaine	crack cocaine
8. amphetamines	amphetamines and substances purporting to be amphetamine
9. ecstasy	ecstasy and substances purporting to be ecstasy
10. GHB	GHB and substances purporting to be GHB
11. Hallucinogens (total)	
12. LSD	LSD
13. other hallucinogens (specify)	Hallucinogenic mushrooms
14. hypnotics and sedatives (total)	tranquillisers and sedatives used without medical prescription
15. benzodiazepines	
16. other medic. (specify)	
17. solvents	glues/adhesives, aerosols, laughing gas, etc.
18. steroids	anabolic steroids or other doping drugs
19. other	ketamine

Rua Cruz de Santa Apolónia 23-25,
1149-045 Lisbon Portugal