



# European Monitoring Centre for Drugs and Drug Addiction

## STANDARD TABLE 01: BASIC RESULTS AND METHODOLOGY OF POPULATION SURVEYS ON DRUG USE

### NOTES:

Include information on national (or very relevant regional) surveys on drug use conducted during the last five years  
EMCDDA age ranges (All adults -15-44 and Young adults -15-34- are those recommended by EMCDDA for all indicators)  
Describe substances included in each group on "Drug definitions" of Methodology section.

COUNTRY	ITALY	All adults			Young adults			Broad age groups									
		DRUGS			LIFETIME PREVALENCE (%)												
		EMCDDA age ranges			15-34			15-24			25-34			35-44			
		Age ranges used (if different)			M	F	T	M	F	T	M	F	T	M	F	T	M
1.	any illegal drugs	28,4	16,9	22,2	32,5	18,4	24,7	27,5	19,1	22,8	35,9	17,9	26,0	22,5	14,0	18,2	
2.	cannabis	28,1	16,6	21,9	32,3	18,3	24,5	27,2	18,1	22,6	35,8	17,9	25,9	21,9	13,3	17,6	
3.	opioids (total)	1,3	0,6	0,9	1,4	0,7	1,0	1,0	1,0	1,0	1,7	0,4	0,9	1,2	0,6	0,9	
4.	cocaine (total, including crack)	4,7	2,4	3,4	5,4	3,0	4,0	3,0	1,8	2,3	7,1	3,8	5,2	3,5	1,2	2,3	
5.	amphetamines	2,0	1,0	1,5	2,2	0,8	1,4	1,3	0,3	0,7	2,9	1,1	1,9	1,6	1,5	1,6	
6.	ecstasy	2,2	1,4	1,8	3,5	1,9	2,6	1,3	1,6	1,5	5,0	2,1	3,4	0,4	0,4	0,4	
7.	hallucinogens (total)	2,4	0,8	1,5	3,2	0,8	1,8	3,4	0,8	1,9	3,1	0,8	1,8	1,2	0,8	1,0	
8.	sedatives and/or tranquilisers (total)	18,2	29,0	23,9	15,0	23,7	19,8	8,9	17,6	13,7	19,2	28,1	24,1	22,7	37,9	30,4	
9.	solvents and inhalants	1,0	0,7	0,8	1,4	0,8	1,0	1,7	0,8	1,2	1,2	0,8	1,0	0,4	0,6	0,5	

M = Male / F = Female / T = Total \$: included to increase compatibility with UNDCP ARQ

COUNTRY	ITALY	All adults			Young adults			Broad age groups									
		DRUGS			LAST 12 MONTHS PREVALENCE (%)												
		EMCDDA age ranges			15-34			15-24			25-34			35-44			
		Age ranges used (if different)			M	F	T	M	F	T	M	F	T	M	F	T	M
1.	any illegal drugs	8,4	4,7	6,4	12,8	6,7	9,4	15,4	8,9	11,8	11,1	5,1	7,8	1,9	1,1	1,5	
2.	cannabis	8,1	4,5	6,2	12,6	6,5	9,2	15,1	8,7	11,5	10,8	4,9	7,6	1,7	1,0	1,3	
3.	opioids (total)	0,6	0,3	0,5	1,0	0,3	0,6	1,0	0,5	0,7	0,9	0,2	0,5	0,2	0,2	0,2	
4.	cocaine (total, including crack)	1,6	0,7	1,1	2,6	0,9	1,7	2,7	1,1	1,8	2,6	0,8	1,6	-	0,2	0,1	
5.	amphetamines	0,1	0,1	0,1	0,2	0,1	0,1	-	0,3	0,1	0,2	-	0,1	-	-	-	
6.	ecstasy	0,2	0,2	0,2	0,4	0,2	0,3	-	0,3	0,1	0,7	0,2	0,4	-	-	-	
7.	hallucinogens (total)	0,2	0,1	0,2	0,4	0,1	0,2	0,7	0,3	0,4	0,2	-	0,1	-	-	-	
8.	sedatives and/or tranquilisers (total)	1,7	2,5	2,1	1,4	2,5	2,0	0,7	2,4	1,6	1,8	2,6	2,3	2,1	2,4	2,3	
9.	solvents and inhalants	0,2	0,1	0,2	0,3	0,1	0,2	0,3	-	0,1	0,2	0,2	0,2	0,2	-	0,1	

M = Male / F = Female / T = Total \$: included to increase compatibility with UNDCP ARQ

COUNTRY	ITALY	All adults			Young adults			Broad age groups									
		DRUGS			LAST 30 DAYS PREVALENCE (%)												
		EMCDDA age ranges			15-34			15-24			25-34			35-44			
		Age ranges used (if different)			M	F	T	M	F	T	M	F	T	M	F	T	M
1.	any illegal drugs	6,1	3,4	4,6	9,7	4,6	6,9	12,2	6,8	9,2	7,9	3,0	5,2	1,0	1,0	1,0	
2.	cannabis	5,9	3,1	4,4	9,4	4,4	6,6	12,2	6,8	9,2	7,5	2,7	4,8	0,8	0,8	0,8	
3.	opioids (total)	0,2	0,2	0,2	0,3	0,2	0,2	0,3	0,3	0,3	0,2	0,2	0,2	0,2	0,2	0,2	
4.	cocaine (total, including crack)	1,0	0,5	0,7	1,5	0,7	1,1	1,4	1,1	1,2	1,6	0,4	1,0	-	-	-	
5.	amphetamines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6.	ecstasy	0,2	0,1	0,2	0,4	0,1	0,2	-	0,3	0,1	0,7	-	0,3	-	-	-	
7.	hallucinogens (total)	0,2	0,1	0,2	0,4	0,1	0,2	0,7	0,3	0,4	0,2	-	0,1	-	-	-	
8.	sedatives and/or tranquilisers (total)	0,7	1,2	1,0	0,8	1,5	1,2	0,3	1,8	1,2	1,1	1,3	1,2	0,6	0,7	0,7	
9.	solvents and inhalants	0,2	0,1	0,1	0,1	0,1	0,1	-	-	-	0,2	0,2	0,2	0,2	-	0,1	

M = Male / F = Female / T = Total \$: included to increase compatibility with UNDCP ARQ